

| Title                           | Rodent Housing – Policy and Guidelines |
|---------------------------------|--|
| Policy Number                   | IACUC-012                              |
| Original Approval Date          | February 19, 2015                      |
| Revision Date / Author Initials | January 16, 2025 / JK, KD              |
| Revision History Dates          | 7.20.17, 8.1.19, 8.9.23                |
| Authorized by                   | IACUC                                  |

# I. Background & Purpose

Central Michigan University (CMU) requires that all use of vertebrate animals for research, teaching and outreach abide by the regulations, standards and guidelines provided by Public Health Service (PHS) Policy<sup>1</sup> or the Animal Welfare Act Regulations (AWARs)<sup>2</sup>, as applicable.

The PHS policy and AWARs contain specific requirements for animal housing. The applicability of those requirements depends on the species housed. The AWARs do not cover "... rats of the genus <u>Rattus</u>, and mice of the genus <u>Mus</u>, bred for use in research...", the rodent species typically housed at CMU. These species are instead covered by PHS policy (i.e., rats of the genus <u>Rattus</u> and mice of the genus <u>Mus</u>) and recommended standards for housing are provided in the Guide for the Care and Use of Laboratory Animals (the Guide)<sup>3</sup>.

## II. Policy

When USDA covered species (e.g., hamsters, Guinea pigs) are housed at CMU, CMU will follow the exact requirements of the AWARs unless exceptions are justified in writing in an Institutional Animal Care and Use Committee (IACUC) approved protocol.

The remainder of this section defines the minimum standards for housing laboratory rats and mice at Central Michigan University (CMU).

At a minimum, animals must have enough space to express their natural postures and postural adjustments without touching the enclosure walls or ceiling, be able to turn around, and have ready access to food and water<sup>3</sup>. In addition, there must be sufficient space to for animals to rest away from areas soiled by urine and feces. Floor space taken up by food bowls, water containers, litter boxes, and enrichment devices (e.g., novel objects, toys, foraging devices) should not be considered part of the floor space.<sup>3</sup>

In assessing the efficacy of space allocations, the IACUC will consider "variables that may affect the animals' response to different cage sizes and housing densities include, but are not limited to, species, strain (and social behavior of the strain), phenotype, age, gender, quality of the space (e.g., vertical access), and structures placed in the cage. These issues remain complex and should be carefully considered when housing rodents".<sup>3</sup>

In non-technical language, it is the policy of CMU and the CMU IACUC that investigators and husbandry staff will follow the space recommendations set forth in the Guide, except when certain other factors are determined to be more important to an animal's welfare or are experimentally justified. Exceptions may be allowed in some circumstances (e.g., to ensure that social species remain socially housed). In certain cases, the IACUC or Attending Veterinarian (AV) may find that space recommendations are insufficient, and more space must be

provided than the minimum (e.g. for strains prone to cage aggression).

Exceptions to this policy must be approved by the IACUC as described in section IV.A. Variance from the space recommendations without IACUC approval as described in section IV.A will be considered non-compliance.

### III. Definitions

- A. Overcrowding: Situation in which the population exceeds the cage capacity guidelines.
- B. PI: Principal Investigator (for the purposes of this policy PI may mean a faculty member or their research staff acting on their direction)
- C. Staff: Vivarium (non-research) animal care staff or veterinary staff

#### IV. Procedures & Guidelines

### A. IACUC Assessment

- 1. The IACUC considers the space recommendations in Table 3.2 of the Guide<sup>3</sup> to be the minimum acceptable space for laboratory rats and mice unless specific justification is provided to diverge from these recommendations. The justification must include one or more of the following:
  - a. Scientific justification: A rationale has been provided indicating that strict adherence to space recommendations would negatively impact the conduct or outcome of the proposed research (e.g., implants that may be damaged by other animals).
  - b. Animal welfare justification: A rationale has been provided indicating that strict adherence to space recommendations would negatively impact animal welfare (e.g., result in singly housing of a social species).
  - c. The IACUC will also consider other factors that may require implementation of space recommendations that exceed the minimum outlined in table 3.2 (e.g., aggressive species or strain, retired male breeders)

## 2. Exceptions shall be approved:

- a. In advance in an approved animal care and use protocol
- b. At the time the exception is determined necessary by either:
  - i. Protocol amendment (preferred method) or;
  - ii. Approval of an exception by the IACUC that must be posted in the animal housing room (e.g., when more than one protocol/PI is potentially impacted) or;
  - iii. Temporary approval of an exception by the AV that must be posted in the animal housing room. Temporary exceptions must be evaluated by the IACUC at the next convened meeting.

## **B.** Vivarium Implementation:

- 1. If an overcrowded cage is noted by animal care or veterinary staff, an "Overcrowded Cage" card will be placed on the front of the cage notifying the PI of the concern.
  - a. The PI will be notified by e-mail of the room number(s), cage number(s) and the specific concerns noted by staff (e.g., cage appears overcrowded, overcrowding appears to be contributing to aggression, potential overcrowding in a species known for cage aggression)
  - b. Vivarium staff will not handle/weigh the animals unless they have been given permission to do so by the PI, have been directed to do so by the AV, or are in the process of routine cage changes.
  - c. The PI will have 48 hours beginning from the time notification is sent to:
    - i. Separate the animals; or,
    - ii. Request that vivarium staff separate the animals; or,
    - iii. Notify the AV and the Facility Manager directly if the cage has been assessed and is not perceived as overcrowded and there are no signs of cage aggression; or,
    - iv. Notify staff via notation on the cage card (or posted exception) of an IACUC approved exception or AV approved temporary exception.
  - d. If the PI fails to respond within 48 hours, then vivarium staff will notify the AV with the details

indicated in IV.B.1.a. If the AV agrees that animals need to be separated, then the AV will either:

- i. Contact the PI (e.g., in cases where there are no signs of cage aggression or other immediate animal welfare concerns) or will:
- ii. Instruct vivarium staff to separate the animals and to notify the PI that animals have been separated, including a detailed description of their new location(s).
- e. When instructed to do so by either the PI or AV, vivarium staff shall separate animals by sex, males from females into different cages, using the housing guidelines in C, below.
- f. If the PI is contacted by the AV and fails to respond, then the AV will direct animal care staff to separate the animals.
- g. If the PI responds to the AV and disagrees with the AV's direction to separate animals, they must provide justification to the AV.
  - i. If the AV disagrees with the justification, then they will refer the matter to the IACUC and the Office of Research Compliance.
  - ii. If the AV agrees with the justification, they may allow a temporary exception to space requirements, in writing and will notify the IACUC and the Office of Research Compliance.
  - iii. The IACUC will discuss the exception at the next convened meeting.

## C. Non-Breeding Rodent Housing Guidelines - Recommended Minimum Space:

| Species | Weight        | Space  |
|---------|---------------|--|
| Mice    | > 25 grams    | >15 in <sup>2</sup> (>96.7 cm <sup>2</sup> ) / mouse |
|         | 15-25 grams   | $12 \text{ in}^2 (77.4 \text{ cm}^2) / \text{mouse}$ |
|         | 10-15 grams   | $8 \text{ in}^2 (51.6 \text{ cm}^2) / \text{mouse}$  |
|         | < 10 grams    | $6 \text{ in}^2 (38.7 \text{ cm}^2) / \text{mouse}$  |
|         |               |  |
| Rats    | > 500 grams   | >70 in <sup>2</sup> (>451.5 cm <sup>2</sup> ) / rat  |
|         | 400-500 grams | $60 \text{ in}^2 (387.0 \text{ cm}^2) / \text{rat}$  |
|         | 300-400 grams | $40 \text{ in}^2 (258.0 \text{ cm}^2) / \text{rat}$  |
|         | 200-300 grams | 29 in <sup>2</sup> (187.05 cm <sup>2</sup> ) / rat   |
|         | 100-200 grams | 23 in <sup>2</sup> (148.35 cm <sup>2</sup> ) / rat   |
|         | < 100 grams   | $17 \text{ in}^2 (109.6 \text{ cm}^2) / \text{rat}$  |

# D. Breeding Rodent Housing Guidelines:

- 1. Monogamous pairing (1 female to 1 male) is preferred over other breeding arrangements (e.g., trio or harem breeding) to prevent overcrowding.
- 2. If breeding is difficult with a particular strain, the investigator may request an exception to the monogamous pairing guideline in their IACUC protocol to include descriptions of breeding colony management steps that will be taken by research staff to prevent overcrowding.
- 3. Second litters from a female must not be in the same cage e.g., weaning of the older litter must occur prior to the birth of the second litter.
- 4. Male rats should not be housed with a female with pups e.g., the pregnant female must be separated before birth of the litter.
- 5. Overcrowding of breeder cages will be handled as described above in section IV.B unless exceptions have been approved by the IACUC and/or AV.

| Species | Cage Population                  | Space / Instructions                                 |
|---------|----------------------------------|--|
| Mice    | 1 Female with 0 Male, with       | 51 in <sup>2</sup> (330 cm <sup>2</sup> ) / group    |
|         | pups                             |  |
|         | 1 Female with 1 Male, with       | 66 in <sup>2</sup> (425.8 cm <sup>2</sup> ) / group  |
|         | pups                             |  |
|         | 2 Females with 0 Male, with up   | 75 in <sup>2</sup> (483.9 cm <sup>2</sup> ) / group  |
|         | to total of 15 pups              | (standard mouse cage)                                |
|         | 2 Females with 0 Male, with      | One female with pups must be                         |
|         | more than 15 pups                | transferred to a separate cage                       |
|         |                                  | when oldest litter are 10 days                       |
|         |                                  | old  |
|         | *2 Females with 1 Male, with     | 75 in <sup>2</sup> (483.9 cm <sup>2</sup> ) / group  |
|         | litters up to a total of 9 pups  | (standard mouse cage)                                |
|         | *2 Females with 1 Male, with     | One female with pups must be                         |
|         | more than 9 pups                 | transferred to a separate cage                       |
|         |                                  | when oldest litter are 10 days                       |
|         |                                  | old  |
|         |                                  |  |
| Rats    | 1 Female with 0 male, with pups  | $124 \text{ in}^2 (800 \text{ cm}^2) / \text{group}$ |
|         | 1 Female with 1 Male without     | 145 in <sup>2</sup> (935.5 cm <sup>2</sup> ) / pair  |
|         | pups (breeding pair)             | (standard rat cage)                                  |
|         | *2 Females with 1 Male without   | 145 in <sup>2</sup> (935.5 cm <sup>2</sup> ) / trio  |
|         | pups (breeding trio) – following | (standard rat cage)                                  |
|         | weight to space requirements in  |  |
|         | the non-breeding housing table   |  |

<sup>\*</sup>Must be detailed in an approved IACUC protocol.

If larger cages are available, the larger cage size should be included in the description within the protocol.

### E. Rodent Weaning Guidelines:

- 1. Rodents should be weaned at 21 days of age.
- 2. The PI may be notified via email if litters have not been weaned after that time. If the PI does not wean the litter, at 48 hours after the notification, the litters will be weaned by vivarium staff and separated by sex, females from males into different cages, using the non-breeding housing density guidelines.
- 3. Requests for delayed weaning protocols must be pre-approved by the IACUC with specification of the actual weaning ages. Additionally, cages should be properly labeled by the PI to identify the group of rodents approved for delayed weaning, with the approved weaning age stated on the label.

#### **References:**

- 1. PHS Policy on Humane Care and Use of Laboratory Animals. (2015) https://olaw.nih.gov/policies-laws/phs-policy.htm.
- 2. Animal Welfare Act Regulations, 7 U.S.C. 2131-2159; 7 CFR 2.22, 2.80, and 371.7; §1.1. (2018) https://www.aphis.usda.gov/animal\_welfare/downloads/bluebook-ac-awa.pdf.
- 3. The Guide for the Care and Use of Laboratory Animals, 8th ed. 2011. National Research Council of the National Academies. Washington, D.C.: The National Academies Press.

Phone: 989.774.6401